



Zone

LED Flood Light

The specially lighting distributions happen
for excellent illuminating.



Modern Designed Outlook

Simple and clear outlines, wholly smooth and black body.

Cooling Performance

Made from aluminum by sheet-metal and punch-shaping technologies. It is much lighter and heat conductivity index is higher than others which enables an excellent heat dissipation.

Multiple Applications

Zone is available in 50W, 70W and 90W with 125lm/w lumen efficiency. It is designed for industrial, commercial and residential applications.

Wide Applications



Draining Holes Excellent Performance

The lamp designed with up and down two rows of draining holes for better cooling performance and prevent dust and water from trapping.







Professional Optics

Professional lighting distributions bring excellent illuminating efficacy, which is suitable for various applications.


Mounting Options



Product Parameters

Part Number	ZONE-50	ZONE-70	ZONE-90
Lumen Output	6,250lm	8,750lm	11,250lm
Wattage	50W	70W	90W
Luminous Efficacy	125lm/W		
CCT	5000K(3000K, 4000K optional)		
CRI	>Ra70(>Ra80 optional)		
IP Rating	IP65		
Working Temperature	-30°C to +50°C		
LED Driver	Sosen		
Input Voltage	100-240Vac/100-277Vac, 50-60Hz, >0.9		
Warranty	5 years		
Lifespan	>50,000hrs		
HID Equivalent	150W	150W	250W

Light Distribution Optional



Intelligent Control

- ▶ DALI Control
- ▶ Motion Sensor
- ▶ Daylight Sensor
- ▶ PIR Sensor

Certificates

